

# STRAIGHT FLOW



- Exhaust Mufflers
- Catalytic Converters
- Tail pipes
- Stainless steel parts
- Pipe connectors
- Flexible pipes

Universal **exhaust**  
system parts





# Stainless steel mufflers

## 304sus



SMF002  
Muffler with Tips 115×185 1in2out  
In-63 Out-76



SMF003  
Muffler with Tips 115×185 1in2out  
In-63 Out-76 Slant



SMF004  
Muffler with Tips 140×220 1in2out  
In-63 Out-89



SMF005  
Muffler with Tip 115×185  
In-63 Out-101



SFM001  
Muffler with Tips 127×203 1in2out  
In-63 Out-76



NIST132  
NI STRAIGHTFLOW MUFFLER  
L-350 IN-60 D-101+SILENCER



NIST132  
NI STRAIGHTFLOW MUFFLER  
L-350 IN-60 D-101+SILENCER



NISL187  
NI STRAIGHTFLOW MUFFLER  
L-350 IN-76 D-101+SILENCER



NISL133  
NI STRAIGHTFLOW MUFFLER  
L-350 IN-60 D-90 +SILENCER



# STRAIGHT FLOW



**ST51420**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm):115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SO51420**

Body Shape: Oval  
Inlet&Outlet pipe position: center/offset  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



**ST51320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 100 / 165  
Body Length (mm): 320  
Each side pipe length(mm): 70



**S051320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/offset  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 100 / 165  
Body Length (mm): 320  
Each side pipe length(mm): 70



**SD51320**

Body Shape: Oval  
Inlet&Outlet pipe position: dual/dual  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 115 / 185  
Body Length (mm): 315  
Each side pipe length(mm): 70



**SD51420**

Body Shape: Oval  
Inlet&Outlet pipe position: dual/dual  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SR51420**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 100  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SR51350**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 50.8  
Body Size (mm): 100  
Body Length (mm): 350  
Each side pipe length(mm): 70



**ST63320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 320  
Each side pipe length(mm): 70



**S063320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/offset  
Inlet&Outlet pipe Inner Diameter(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 320  
Each side pipe length(mm): 70



**ST63420**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diameter(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



# STRAIGHT FLOW



**SO63420**

Body Shape: Oval  
Inlet&Outlet pipe position: center/offset  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SDC6351**

Body Shape: Oval  
Inlet&Outlet pipe position: center/dual  
Inlet&Outlet pipe Inner Diamater(mm): 63.5+2\*50.8  
Body Size (mm): 140 / 220  
Body Length (mm): 500  
Each side pipe length(mm): 70



**ST63500**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 140 / 220  
Body Length (mm): 500  
Each side pipe length(mm): 70



**SD6351320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/dual  
Inlet&Outlet pipe Inner Diamater(mm): 63.5+2\*50.8  
Body Size (mm): 115 / 185  
Body Length (mm): 320  
Each side pipe length(mm): 70



**SD63320**

Body Shape: Oval  
Inlet&Outlet pipe position: dual/dual  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 315  
Each side pipe length(mm): 70



**SD63420**

Body Shape: Oval  
Inlet&Outlet pipe position: dual/dual  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SR63125420**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 125  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SR63100420**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 100  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SR63100350**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 100  
Body Length (mm): 350  
Each side pipe length(mm): 70



**SR63100**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 100  
Body Length (mm): 625  
Each side pipe length(mm): 70



**SR63125250**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 125  
Body Length (mm): 250  
Each side pipe length(mm): 70



**SR63125350**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 125  
Body Length (mm): 350  
Each side pipe length(mm): 70



# STRAIGHT FLOW



**ST76250**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 140 / 220  
Body Length (mm): 250  
Each side pipe length(mm): 70



**ST76350**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 140 / 220  
Body Length (mm): 350  
Each side pipe length(mm): 70



**SD7663500**

Body Shape: Oval  
Inlet&Outlet pipe position: center/dual  
Inlet&Outlet pipe Inner Diamater(mm): 76+2\*63.5  
Body Size (mm): 140 / 220  
Body Length (mm): 500  
Each side pipe length(mm): 70



**ST76420**

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 140 / 220  
Body Length (mm): 420  
Each side pipe length(mm): 70



**SD7663320**

Body Shape: Oval  
Inlet&Outlet pipe position: center/dual  
Inlet&Outlet pipe Inner Diamater(mm): 76+2\*63.5  
Body Size (mm): 140 / 220  
Body Length (mm): 320  
Each side pipe length(mm): 70



**SD76320**

Body Shape: Oval  
Inlet&Outlet pipe position: dual/dual  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 140 / 220  
Body Length (mm): 320  
Each side pipe length(mm): 70



**SR76625**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 125  
Body Length (mm): 625  
Each side pipe length(mm): 70



**SR76350**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 125  
Body Length (mm): 350  
Each side pipe length(mm): 70



**SR76250**

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 125  
Body Length (mm): 245  
Each side pipe length(mm): 70



# STRAIGHT FLOW



## SO89250

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 89  
Body Size (mm): 140 / 220  
Body Length (mm): 250  
Each side pipe length(mm): 70



## SO89350

Body Shape: Oval  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 89  
Body Size (mm): 140 / 220  
Body Length (mm): 350  
Each side pipe length(mm): 70



## SR89250

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 89  
Body Size (mm): 125  
Body Length (mm): 250  
Each side pipe length(mm): 70



## SR76100250

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 100  
Body Length (mm): 245  
Each side pipe length(mm): 70



## SR76100350

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 100  
Body Length (mm): 350  
Each side pipe length(mm): 70



## SR76100420

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 76  
Body Size (mm): 100  
Body Length (mm): 420  
Each side pipe length(mm): 70



## OO63320

Body Shape: Oval  
Inlet&Outlet pipe position: offset/offset  
Inlet&Outlet pipe Inner Diamater(mm): 63.5  
Body Size (mm): 115 / 185  
Body Length (mm): 300  
Each side pipe length(mm): 70



## SR63150350

Body Shape: Round  
Inlet&Outlet pipe position: center/center  
Inlet&Outlet pipe Inner Diamater(mm): 63  
Body Size (mm): 150  
Body Length (mm): 350  
Each side pipe length(mm): 70



All Mufflers are packed  
in high quality  
cartoon boxes..



## Stainless steel Mufflers 409sus



**11365**  
Exhaust Muffler C/O 4x 9 11inch  
D-60



**10445**  
Exhaust Muffler  
D-60 Round 4" 14inch



**10425**  
Exhaust Muffler  
D-60 Round 4" 18inch



**12158**  
Exhaust Muffler  
D-64 1in2out 5x 8 14inch



**12265**  
Exhaust Muffler  
D-64 1in2out 5x 8 18inch



**11216**  
Exhaust Muffler  
D-64 C/C 4x 9 14inch



**11246**  
Exhaust Muffler  
D-64 C/C 4x 9 18inch



**11226**  
Exhaust Muffler  
D-64 C/O 4x 9 14inch



**11336**  
Exhaust Muffler  
D-64 O/O 4x 9 14inch



**10416**  
Exhaust Muffler  
D-64 Round 4" 14inch



**10416-**  
Exhaust Muffler  
D-64 Round 4" 11inch



**10426**  
Exhaust Muffler  
D-64 Round 4" 18inch



# STRAIGHT FLOW



**12198**  
Exhaust Muffler  
D-76 1in2out 5x 8 14inch



**12267**  
Exhaust Muffler  
D-76 1in2out 5x 8 18inch



**11249**  
Exhaust Muffler  
D-76 C/C 4x 9 18inch



**11229**  
Exhaust Muffler  
D-76 C/K 4x 9 14inch



**14419**  
Exhaust Muffler  
D-76 Round 4" 14inch



**14419L**  
Exhaust Muffler  
D-76 Round 4" 18inch



**12635**  
Exhaust Muffler  
D-64 Round 6" K/K 14inch



**11225**  
Exhaust Muffler  
D-76 C/C 4x 9 14inch



**11225**  
Exhaust Muffler  
D-60 C/K 4x9 14inch



**12866**  
Exhaust Muffler  
D-67 Round 5" 14inch



**11215**  
Exhaust Muffler  
D-56 C/C 4x9 14inch



**11385**  
Exhaust Muffler  
D-60 2in2out 4x9 14inch





**12616**  
Exhaust Muffler  
D-64 Round 6" 14inch



**11266**  
Exhaust Muffler  
D-64 Oval Offset/Offset 18inch



**11386**  
Exhaust Muffler  
D-67 2x2 4x6 14inch

## Stainless steel 409sus Resonators



50/40SF	Resonator D-50mm lenght 30cm without tube OD-90mm Material 409sus
55/40SF	Resonator D-55mm lenght 30cm without tube OD-90mm Material 409sus
60/40SF	Resonator D-60mm lenght 30cm without tube OD-90mm Material 409sus
65/40SF	Resonator D-65mm lenght 30cm without tube OD-101,6mm Material 409sus
70/40SF	Resonator D-70mm lenght 30cm without tube OD-101,6mm Material 409sus
76/40SF	Resonator D-76mm lenght 30cm without tube OD-101,6mm Material 409sus

50/55SF	Resonator D-50mm lenght 45cm without tube OD-90mm Material 409sus
55/55SF	Resonator lenght 45cm without tube OD-90mm Material 409sus
60/55SF	Resonator lenght 45cm without tube OD-90mm Material 409sus
65/55SF	Resonator lenght 45cm without tube OD-101,6mm Material 409sus
70/55SF	Resonator D-70mm lenght 45cm without tube OD-101,6mm Material 409sus
76/55SF	Resonator lenght 45m without tube OD-101,6mm Material 409sus



# STRAIGHT FLOW



23-1176  
IN: 63 OUT: 76  
L: 240



23-1189  
IN: 63 OUT: 89  
L: 240



23-1976  
IN:51 OUT: 76  
L:200



23-1989  
IN: 63 OUT: 89  
L: 240



27-0022  
IN: 54 OUT: 89  
L: 240\*215



23-19101  
Tips Set  
IN: 63 OUT: 102  
L : 245\*235



23-10101  
TIPS SET  
IN: 63 OUT: 102  
L : 245\*235



25-101  
Straight Cut  
IN: 60 OUT: 102  
L: 155 \*135



26-101  
Slant Cut  
IN: 60 OUT: 102  
L: 155 \*135



26-114  
Slant Cut  
IN: 60 OUT: 114  
L: 155 \*135



27-0202  
Slant Cut  
IN:60 OUT:101  
L:240\*215



# STRAIGHT FLOW



24-0089  
TIPS SET  
D-89 In-63 L-240\*220 Slant  
Offset Black



24-0189  
TIPS SET  
D-89 In-63 L-240 Straight  
Offset Black



24-1076  
TIPS SET  
D-76 In-63 L-240\*220  
slant Black



24-01101  
TIPS SET  
D-101 In-63 L-240 Straight Offset Black



24-10101  
TIPS SET  
D-101 In-63 L-240\*220 slant Black



24-00101  
TIPS SET  
D-101 In-63 L-240\*220 Slant  
Offset Black



24-1089  
TIPS SET  
D-101 In-63 L-240\*220 slant Blackk



24-10114  
TIPS SET  
D-114 In-63 L-240\*220 slant Black



24-01114  
TIPS SET  
D-114 In-63 L-240\*220 Slant Offset Black



24-63114  
TIPS SET  
D-114 In-63 L-245\*235 Straight Black



24-63102  
SLANT CUT TIPS SET  
IN:63 OUT:102  
L:245/225  
235/215



# STRAIGHT FLOW



24-1189  
IN: 63 OUT: 89  
L: 240



27-0023  
IN: 54 OUT: 89  
L: 240/215



TIPS SIZE:  
29-101  
29-114  
IN-63  
L:155\*135



24-1376  
D-76 L-240 In-63 straight black



24-1389  
D-89 L-240 In-63 straight black



27-0204  
IN-60 OUT-101  
L-240\*215



28-101  
In:101 OUT:101  
L:155



Tips Size:  
28-89  
28-102  
28-114  
IN:63  
L:155\*135



**STRAIGHT  
FLOW**

## Sport Catalytic converters

All catalytic converter are R103 certificated and 200CPSI



**Inlet/ OD:101mm  
Euro standart  
Code:**

CAT50100E3  
CAT55100E3  
CAT63100E3  
CAT50100E4  
CAT55100E4  
CAT63100E4  
CAT76100E4  
CAT90100E4  
CAT50100E5  
CAT55100E5  
CAT63100E5  
CAT76100E5  
CAT90100E5



**Inlet/ OD:114mm  
Euro standart  
Code:**

CAT55114E4  
CAT63114E4  
CAT76114E4  
CAT55114E5  
CAT63114E5  
CAT76114E5



**Inlet/ OD:127mm  
Euro standart  
Code:**

CAT55127E4  
CAT63127E4  
CAT76127E4  
CAT76127E4  
CAT55127E5  
CAT63127E5  
CAT76127E5



# STRAIGHT FLOW



Euro Standart:  
Ceramic Cat  
RC222E4  
RC222E5  
RC222E6  
IN:63  
D:111 L220



EuroStandart:  
Metal Cat  
RC222E4MET  
RC222E5MET  
RC222E6MET  
IN:63  
D:111 L220



Ceramic catalytic  
RCK222E4  
RCK222E5  
RCK222E6  
IN-63 OD:111  
L:220




Euro Standart:  
CENIE4  
CENIE5  
CENIE6  
IIN:60 OD:114-130  
L376



Euro Standart:  
CEN3E4  
CEN3E5  
CEN3E6  
IN:57 OD:114  
L:270



Euro Standart:  
CEN2E4  
CEN2E5  
CE2NE6  
IN:63 OD:127  
L:376



Metal catalytic converter substrates by the Euro emission standartt:  
Diameter/lenght 500/200cpsi

EURO 4	EURO 5	EURO6
CE4 76/100	CE5 76/100	CE6 76/100
CE4 80/100	CE5 80/100	CE6 80/100
CE4 90/100	CE5 90/100	CE6 90/100
CE4 95/100	CE5 95/100	CE6 95/100
CE4 100/100	CE5 100/100	CE6 100/100
CE4 104/100	CE5 104/100	CE6 104/100
CE4 110/100	CE5 110/100	CE6 110/100
CE4 114/100	CE5 114/100	CE6 114/100
CE4 120/100	CE5 120/100	CE6 120/100
CE4 130/100	CE5 130/100	CE6 130/100
CE4 130/130	CE5 130/130	CE6 130/130



## STAINLES STEEL MANDREL BENDS



BEND-45/30  
BEND-45/45  
BEND-45/60  
BEND-45/90

BEND-50/30  
BEND-50/45  
BEND-50/60  
BEND-50/90

BEND-54/30  
BEND-54/45  
BEND-54/60  
BEND-54/90


BEND-60/30  
BEND-60/45  
BEND-60/60  
BEND-60/90

BEND-63/30  
BEND-63/45  
BEND-63/60  
BEND-63/90

BEND-70/30  
BEND-70/45  
BEND-70/60  
BEND-70/90


BEND-76/30  
BEND-76/60  
BEND-76/45  
BEND-76/90

BEND-89/30  
BEND-89/45  
BEND-89/60  
BEND-89/90



SF7645L2

Stainless steel corner 90



SF7660L2

Stainless steel corner 45 deggre




SF7690L2

Straight stainless steel tube 2m



SE9040 SE9054 SE9076  
SE9042 SE9060 SE9080  
SE9045 SE9063 SE9089  
SE9051 SE9070 SE90101



SE4551 SE4560 SE4570  
SE4554 SE4563 SE4576



VAMZ-30 VAMZ-54  
VAMZ-32 VAMZ-60.3  
VAMZ-35 VAMZ-63.3  
VAMZ-38 VAMZ-70  
VAMZ-40 VAMZ-76  
VAMZ-42 VAMZ-80  
VAMZ-44.5 VAMZ-88.8  
VAMZ-48 VAMZ-101.6  
VAMZ-50.8





## Mesh Braid flexes

45-100SS	50-100SS	55-100SS	60-100SS	64-100SS	70-100SS	90-100SS
45-120SS	50-120SS	55-120SS	60-120SS	64-120SS	70-150SS	90-150SS
45-150SS	50-150SS	55-150SS	60-150SS	64-150SS	70-200SS	90-200SS
45-200SS	50-170SS	55-170SS	60-180SS	64-200SS		90-250SS
45-230SS	50-200SS	55-200SS	60-200SS	64-230SS	76-100SS	
45-250SS	50-230SS	55-230SS	60-230SS	64-250SS	76-150SS	100-100SS
45-280SS	50-250SS	55-250SS	60-250SS	64-280SS	76-200SS	100-150SS
	50-280SS	55-280SS	60-280SS		76-250SS	100-200SS



## Inner Braid Flexible pipes



45-100HD	50-100HD	55-100HD	60-100HD	64-100HD	76-100HD
45-120HD	50-120HD	55-120HD	60-120HD	64-120HD	76-150HD
45-150HD	50-150HD	55-150HD	60-150HD	64-150HD	76-200HD
45-200HD	50-200HD	55-200HD	60-200HD	64-200HD	76-250HD
45-230HD	50-230HD	55-230HD	60-230HD	64-230HD	
45-250HD	50-250HD	55-250HD	60-250HD	64-250HD	
45-280HD	50-280HD	55-280HD	60-280HD	64-280HD	

## Interlock VW flexes

45-100SF	50-100SF	55-100SF	60-100SF	64-100SF	70-100SF
45-120SF	50-120SF	55-120SF	60-120SF	64-120SF	70-150SF
45-150SF	50-150SF	55-150SF	60-150SF	64-150SF	70-200SF
45-200SF	50-170SF	55-170SF	60-180SF	64-200SF	
45-230SF	50-200SF	55-200SF	60-200SF	64-230SF	76-100SF
45-250SF	50-230SF	55-230SF	60-230SF	64-250SF	76-150SF
45-280SF	50-250SF	55-250SF	60-250SF	64-280SF	76-200SF
	50-280SF	55-280SF	60-280SF		76-250SF
					76-300SF



## Stainless steel compensators



38-40BEL
40-40BEL
45-50BEL
50-50BEL
60-60BEL
64-60BEL
70-70BEL
76-70BEL

## Truck size VW interlock

80-100SF	100-100SF	100-300SF
80-150SF	100-150SF	110-300SF
80-200SF	100-200SF	110-400SF
	100-250SF	115-300SF
90-100SF	110-150SF	120-300SF
90-150SF	110-200SF	127-150SF
90-200SF	115-150SF	127-200SF
90-230SF	115-200SF	127-300SF
90-300sSF		





## STAINLES STEEL VBAND

FULL HIGH END QUALITY VBANDS 304 STAINLESS STEEL MALE/FEMALE



VBAND-38	VBAND CONNECTOR D38/1.5 inch
VBAND-45	VBAND CONNECTOR D45/1,75 inch
VBAND-50	VBAND CONNECTOR D50/2.0 inch
VBAND-55	VBAND CONNECTOR D55/2.25 inch
VBAND-60	VBAND CONNECTOR D60/2.36 inch

VBAND-63	VBAND CONNECTOR D63/2.5 inch
VBAND-70	VBAND CONNECTOR D70/2.75 inch
VBAND-76	VBAND CONNECTOR D76/3.0 inch
VBAND-80	VBAND CONNECTOR D80/3.25 inch
VBAND-90	VBAND CONNECTOR D90/3.5 inch

## Truck Vband sizes



VBAND-101	VBAND Conector D101/4.0 inch
VBAND-110	VBAND Conector D110/4.5 inch
VBAND-115	VBAND Connector D115/4.75 inch
VBAND-127	VBAND Conector D127/5.0 inch



## Stainles Steel Flange



FLG001  
Turbo Flange B46/B48



FLG002  
Turbo Flange N20/N55 LCI




FLG003  
Turbo Flange N54/N63/F90/N55  
76mm out



FLG004  
Turbo Flange N57



FLG005  
Turbo N54/N63/F90/S55  
90mm out



FLG006  
Turbo Flange M57



FLG007  
Turbo Flange Audi RS3/TT 2.5 5cyl



FLG008  
Turbo Flange inox B58



FLG009  
Flange MB M276/E00/E43/C45  
AMG




FLG010  
Turbo Flange M276/E400/  
E43amg/C45 AMG Right




FLG011  
Turbo Flange M276/E400/  
E43amg/C45 AMG Right



FLG012  
Turbo Flange BMW  
N43/N45/N46 I4




DU225.00.01  
Flange S55 M3/M4



DU225.00.02  
Flange Audi 3l/4l TFSI



DU225.00.03  
Flange B57



DU225.00.04  
Flange 3l TFSI inox  
S4/S5/A6/A7/A8



Lamda Sensors bushing  
D28/24/16/M18/1.5



Lamda Sensors bushing  
45degre M18x1.5 D25 L20-30




NOX Sensor bushing  
D30L13M20x1.5/F16



BMW Tempreture Sensor  
bushing M12x1.25

### Flexible pipe connectors 409sus



Sizes:

- |       |       |       |
|-------|-------|-------|
| JF-38 | JF-55 | JF-65 |
| JF-45 | JF-60 | JF-70 |
| JF-50 | JF-63 | JF-76 |

### Solid Flange connectors 409sus



Sizes:

- FL-38
- FL-45
- FL-50
- FL-55
- FL-60
- FL-63
- FL-65
- FL-70
- FL-76

### X-pipe connector



- Xpipe-50
- Xpipe-55
- Xpipe-60
  
- Xpipe-63
- Xpipe-70
- Xpipe-76

### Y-pipe connector



- Ypipe-50
- Ypipe-55
- Ypipe-60
  
- Ypipe-63
- Ypipe-70
- Ypipe-76



# STRAIGHT FLOW

## STAINLESS STEEL CLAMP



FOR TUBE:

- MB-50
- MB-55
- MB-60
- MB-65
- MB-70
- MB-76

## QUICK RELEASE VBAND CLAMP



FOR VBAND:

- BCR-45
- BCR-51
- BCR-55
- BCR-60
- BCR-63
- BCR-70
- BCR-76
- BCR-89

## STAINLESS STEEL FLANGE



SIZES FOR TUBE:

- FG51
- FG58
- FG64
- FG70
- FG76
- FG89

## FULL STAINLESS STEEL PIPE CONNECTORS



FOR TUBE:

- SM-45
- SM-50
- SM-55
- SM-60
- SM-63
- SM-65

## FULL STAINLESS STEEL U-CLAMP



FOR TUBE:

- M8US-45
- M8US-50
- M8US-52
- M8US-54
- M8US-56
- M8US-60
- M8US-65
- M8US-70
- M8US-76

## STAINLESS STEEL CLAMP




FOR TUBE:

- BCP-45
- BCP-50
- BCP-55
- BCP-60
- BCP-66
- BCP-70
- BCP-76
- BCP-80
- BCP-90
- BCP-100


## Oxygen sensors Adapters

This parts only use to turn off "Check Engine" light




Straight Adapter:

- Euro - 3
- Euro - 4
- Euro - 5
- Euro - 6



90 Deggre Adapter:

- Euro - 3
- Euro - 4
- Euro - 5
- Euro - 6



45 Deggre Adapter:

- Euro - 3
- Euro - 4
- Euro - 5
- Euro - 6



Muffler+Valve - Remote & OBD connection  
Inlet size:  
SFM010C-64  
SFM011C-76



Muffler+Valve - Remote & OBD connection  
Inlet size:  
SFM008S-64  
SFM009S-76



2x Muffler set+Valve - Remote & OBD connection  
Inlet size:  
SFM006L/R-64  
SFM007L/R-76



Single Valve with remote control & OBD  
Valve-55  
Valve-63  
Valve-76  
Valve-89



Double Valve with remote control & OBD  
Valve-55/x2  
Valve-63/x2  
Valve-76/x2  
Valve-89/x2



## Heat Resistance materials



TITANIUM TURBO  
BLANKET  
SF-B2SS-T25  
SF-B2SS-T3  
SF-B2SS-T4  
SF-B2SS-T6  
SF-B2SS-T78/88



TITANIUM WESTGATE  
BLANKET  
WSG-38  
WSG-40  
WSG-50  
WSG-60



Titanium Wrap 1500C  
15 Meter 2.5cm width  
STW-25



Gold heat reflective  
wrap 260C  
STG-50



Titanium BLACK Wrap 1000C  
15Meter 5cm width  
STB-50




Titanium Wrap 1500C  
15Meter 5cm width  
STW-50



WHT1000-05  
wrap width-5cm  
15meter 550C




SALW-50  
wrap width-5cm  
10meter 550C




ARMS-50/60  
Heat insulation S/Steel/cotton  
60x50cm 1000degr



COTTON  
Heat insulation Cotton  
1x1m 1000degr



SHEET-1  
Heat insulation S/Steel  
60x100cm  
1000degr 0.05mm



ARM-50/60  
Aluminium heat  
Reflective plate/Firewall

## Aluminium Elbows/Silicone



Elbow lenght 500 - 45,60,90,180 deggre

ALM-3845	ALM-4545	ALM-5145	ALM-6045	ALM-6345	ALM-7045	ALM-7645	ALM-8945	ALM-10245
ALM-3860	ALM-4560	ALM-5160	ALM-6060	ALM-6360	ALM-7060	ALM-7660	ALM-8960	ALM-10260
ALM-3890	ALM-4590	ALM-5190	ALM-6090	ALM-6390	ALM-7090	ALM-7690	ALM-8990	ALM-10290
ALM-38180	ALM-45180	ALM-5180	ALM-60180	ALM-63180	ALM-70180	ALM-76180	ALM-89180	ALM-102180

Straight 500mm lenght



- AL-38
- AL-45
- AL-51
- AL-60
- AL-63
- AL-70
- AL-76
- AL-89
- AL-102

Aluminium Flexible HD connectors



- HD-50
- HD-63
- HD-76
- HD-90
- HD-101



SILICON 45 DEGGRE

- HE-3245
- HE-3845
- HE-4545
- HE-5145
- HE-6345
- HE-7045
- HE-7645
- HE-8945
- HE-10245



SILICON 90 DEGGRE

- HE-3290
- HE-3890
- HE-4590
- HE-5190
- HE-6390
- HE-7090
- HE-7690
- HE-8990
- HE-10290



STRAIGHT SILICONE CONNECTOR

- H1-32
- H1-38
- H1-45
- H1-51
- H1-63
- H1-70
- H-76
- H-89
- H-102



## ALUMINIZED RESONATORS



50/40P	Resonator D-50mm lenght 30cm without tube OD-90mm Aluminized <b>Straight inside</b>
55/40P	Resonator D-55mm lenght 30cm without tube OD-90mm Aluminized <b>Straight inside</b>
60/40P	Resonator D-60mm lenght 30cm without tube OD-90mm Aluminized <b>Straight inside</b>
65/40P	Resonator D-65mm lenght 30cm without tube OD-101,6mm Aluminized <b>Straight inside</b>
70/40P	Resonator D-70mm lenght 30cm without tube OD-101,6mm Aluminized <b>Straight inside</b>
76/40P	Resonator D-76mm lenght 30cm without tube OD-101,6mm Aluminized <b>Straight inside</b>
50/40Z	Resonator D-50mm lenght 30cm without tube OD-90mm Aluminized <b>Restriction inside to reduce sound</b>
55/40Z	Resonator D-55mm lenght 30cm without tube OD-90mm Aluminized <b>Restriction inside to reduce sound</b>
60/40Z	Resonator D-60mm lenght 30cm without tube OD-90mm Aluminized <b>Restriction inside to reduce sound</b>
65/40Z	Resonator D-65mm lenght 30cm without tube OD-101,6mm Aluminized <b>Restriction inside to reduce sound</b>
70/40Z	Resonator D-70mm lenght 30cm without tube OD-101,6mm Aluminized <b>Restriction inside to reduce sound</b>
76/40Z	Resonator D-76mm lenght 30cm without tube OD-101,6mm Aluminized <b>Restriction inside to reduce sound</b>



## Aluminized universal elbows



BEND-45/30  
BEND-45/45  
BEND-45/60  
BEND-45/90

BEND-50/30  
BEND-50/45  
BEND-50/60  
BEND-50/90

BEND-54/30  
BEND-54/45  
BEND-54/60  
BEND-54/90

BEND-60/30  
BEND-60/45  
BEND-60/60  
BEND-60/90

BEND-63/30  
BEND-63/45  
BEND-63/60  
BEND-63/90

BEND-70/30  
BEND-70/45  
BEND-70/60  
BEND-70/90

BEND-76/30  
BEND-76/60  
BEND-76/45  
BEND-76/90

BEND-89/30  
BEND-89/45  
BEND-89/60  
BEND-89/90

BEND-101/30  
BEND-101/45  
BEND-101/60  
BEND-101/90

BEND-110/30  
BEND-110/45  
BEND-110/60  
BEND-110/90

BEND-115/30  
BEND-115/45  
BEND-115/60  
BEND-115/90

BEND-127/30  
BEND-127/45  
BEND-127/60  
BEND-127/90

## Straight Aluminized exhaust Tubes 2m lenght



D38      D76  
D45      D80  
D50,8    D89  
D54      D101  
D60      D110  
D63,3    D115  
D65      D127  
D70




STRAIGHT  
**FLOW**

..... *FOR NOTES*

A series of horizontal dashed lines for writing notes.



 +370 60284033

 <https://straightflow.lt>

 Taikos Pr 116s, Kaunas, Lithuania